

Is Fault-Tolerant Quantum Computation Really Possible?

M. I. Dyakonov

Laboratoire de Physique Théorique et Astroparticules, Université Montpellier II, France

The so-called "threshold" theorem says that, once the error rate per qubit per gate is below a certain value, indefinitely long quantum computation becomes feasible, even if all of the qubits involved are subject to relaxation processes, and all the manipulations with qubits are not exact. The purpose of this article, intended for physicists, is to outline the ideas of quantum error correction and to take a look at the proposed technical instruction for fault-tolerant quantum computation. It seems that the mathematics behind the threshold theorem is somewhat detached from the physical reality, and that some ideal elements are always present in the construction. This raises serious doubts about the possibility of large scale quantum computations, even as a matter of principle.

1. Introduction

The answer that the quantum computing community currently gives to this question is a cheerful "yes". The so-called "threshold" theorem says that, once the error rate per qubit per gate is below a certain value, estimated as $10^{-4} - 10^{-6}$, indefinitely long quantum computation becomes feasible, even if all of the $10^3 - 10^6$ qubits involved are subject to relaxation processes, and all the manipulations with qubits are not exact. By active intervention, errors caused by decoherence can be detected and corrected during the computation. Though today we may be several orders of magnitude above the required threshold, quantum engineers may achieve it tomorrow (or in a thousand years). Anyway large-scale quantum computation is possible in *principle*, and we should work hard to achieve this goal.

The enormous literature devoted to this subject (Google gives 29300 hits for "fault-tolerant quantum computation") is purely mathematical. It is mostly produced by computer scientists with a limited understanding of physics and a somewhat restricted perception of quantum mechanics as nothing more than unitary transformations in Hilbert space plus "entanglement". On the other hand, the heavy machinery of the theoretical quantum computation with its specific terminology, lemmas, *etc.* is not readily accessible to most physicists, including myself. The vast majority of researchers, who start their articles with the standard mantra that their (whatever) subject is pertinent to quantum computation, do not really understand, nor care, what stands behind the threshold theorem and how quantum error correction is supposed to work. They simply accept these things as a proven justification of their activity.

Meanwhile, even the most ardent proponents of quantum computing recognize today that it is impossible to build a useful machine without implementing efficient error correction. Thus the question in the title is equivalent to asking whether quantum computing is possible altogether.

In a previous publication [1], I too have accepted the threshold theorem but argued that the required enormous precision will not be achieved in any foreseeable future. The purpose of this article, intended for physi-

cists, is to outline the ideas of quantum error correction and to take a look at the technical instruction for fault-tolerant quantum computation, first put forward by Shor and elaborated by other mathematicians. It seems that the mathematics behind the threshold theorem is somewhat detached from the physical reality, and that some flawless elements are always present in the construction. This raises serious doubts about the possibility of large scale quantum computations, even as a matter of principle.

2. Brief outline of ideas

The idea of quantum computing is to store information in the values of 2^N amplitudes describing the wavefunction of N two-level systems, called *qubits*, and to process this information by applying unitary transformations (*quantum gates*), that change these amplitudes in a very precise and controlled manner, see the clear and interesting review by Steane [2]. The value of N needed to have a useful machine is estimated as $10^3 - 10^6$. Thus, even for $N = 1000$, the number of continuous variables (the complex amplitudes of this grand wavefunction) that we are supposed to control, is $2^{1000} \sim 10^{300}$. For comparison, the total number of protons in the visible Universe is only about 10^{80} (give or take a couple of orders of magnitude).

The interest in quantum computing surged after Shor [3] invented his famous algorithm for factorizing very large numbers and showed that an ideal quantum computer can solve this problem much faster than a classical computer, which requires exponentially great time and resources.

Generally, there are many interesting and useful things one could accomplish with *ideal* machinery, not necessarily quantum. For example, one could become younger by *exactly* reversing all the velocities of atoms in our body (and in some near environment), or write down the full text of all the books in the world in the *exact* position of a single particle, or store information in the 10^{23} vibrational amplitudes of a cubic centimeter of a solid. Unfortunately, unwanted noise, fluctuations, and inaccuracies of our manipulations impose severe limits to such am-

bitions. Thus, while the ideas of quantum computing are fascinating and stimulating, the possibility of actually building a quantum computer, even in some distant future, was met from the start with a healthy scepticism [4, 5, 6].

Unlike the digital computer employing basically the on/off switch, which is stable against small-amplitude noise, the quantum computer is an analogous machine where small errors in the values of the continuous amplitudes are bound to accumulate exponentially. So, it seems that a quantum computer of a complexity sufficient to be of any practical interest will never work.

In response to this challenge, Shor [7] and Steane [8] proposed the idea of quantum error correction - an ingenious method designed primarily for bypassing the so-called "no cloning" theorem: an unknown quantum state cannot be copied. At first glance, this theorem prevents us from checking whether there are errors in the quantum amplitudes, so that one can correct them. The idea of quantum error correction is to spread the information contained in a *logical* qubit among several *physical* qubits and to apply a special operator, which detects errors in physical qubits (the *error syndrome*) and writes down the result by changing the state of some auxiliary *ancilla* qubits. By measuring the ancilla qubits only, we can see the error in the original quantum state and then correct it (see Section 6).

However, this method assumes that the ancilla qubits, the measurements, and the unitary transformations to be applied, remain ideal. It is said that this type of error correction is not fault-tolerant, whatever this may mean. (If the ancilla qubits are flawless, why not use them in the first place?) The ultimate solution, the *fault-tolerant quantum computation*, was advanced by Shor [9] and further developed by other mathematicians, see Refs. 10 - 14 and references therein. Now, nothing is ideal: all the qubits are subject to noise, measurements may contain errors, and our quantum gates are not perfect. Nevertheless, the threshold theorem says that arbitrarily long quantum computations are possible, so long as the errors are not correlated in space and time and the noise level remains below a certain threshold. In particular, with error correction a single qubit may be stored in memory, i.e. it can be maintained arbitrarily close to its initial state during an indefinitely long time.

This striking statement implies among other things that, once the spin resonance is narrow enough, it can be made *arbitrarily* narrow by active intervention with imperfect instruments. This contradicts all of our experience in physics. Imagine a pointer, which can rotate in a plane around a fixed axis. Fluctuating external fields cause random rotations of the pointer, so that after a certain relaxation time the initial position gets completely forgotten. How is it possible that by using only other identical pointers (also subject to random rotations) and some external fields (which cannot be controlled perfectly), it might be possible to maintain indefinitely a given pointer close to its initial position?

The answer we get from experts in the field, is that it may work because of quantum mechanics: "*We fight entanglement with entanglement*" [10] or, in the words of the Quantum Error Correction Sonnet by Gottesman [11],

*With group and eigenstate, we've learned to fix
Your quantum errors with our quantum tricks.*

This does look suspicious, because in the physics that we know, quantum-mechanical effects are more easily killed by noise than classical ones. Before going into the details of the proposed fault-tolerant computation, we present in the following section a slight *divertissement* relevant to our subject.

3. Capturing a lion in a desert

The scientific folklore knows an anecdote about specialists in various fields proposing their respective methods of capturing a lion in a desert. (For example, the Philosopher says that a captured lion should be defined as one who is separated from us by steel bars. So, let's go into a cage, and the lion will be captured). Here, we are concerned with the Mathematician's method [15]:

The desert D being a separable topological space, it contains a countable subset S that is everywhere dense therein. (For example, the set of points with rational coordinates is eligible as S .) Therefore, letting $x \in D$ be the point at which the Lion is located, we can find a sequence $x_n \subset S$ with $\lim_{n \rightarrow \infty} x_n = x$. This done, we approach the point x along the sequence x_n and capture the lion.

This method, illustrated in Fig. 1, assumes that the only relevant property of the Lion is to be located at a given point in 2D space. Note also that neither *time*, nor what can happen to the Lion and the Hunter during the process, is a point of concern. And finally, it is not specified how the sequence x_n should be chosen, nor what the limit $n \rightarrow \infty$ could mean in practice. These points are left to be elaborated by the practical workers in the field.

Certainly, mathematics is a wonderful thing, both in itself and as a powerful tool in science and engineering. However, we must be very careful and reluctant in accepting theorems, and especially technical instructions, provided by mathematicians in domains outside pure mathematics [16]. Whenever there is a complicated issue, whether in many-particle physics, climatology, or economics, one can be almost certain that no theorem will be applicable and/or relevant, because the explicit or implicit assumptions, on which it is based, will never hold in reality. The Hunter must first explain to the Mathematician what a lion looks like.



FIG. 1: The Mathematician’s method of capturing the lion in the desert

4. Spin relaxation, or decoherence

While the relaxation of two-level systems was thoroughly studied during a large part of the 20th century, and is quite well understood, in the quantum computing literature there is a strong tendency of mystifying the relaxation process and make it look as an obscure quantum phenomenon [9, 10]: “The qubit (spin) gets entangled with the environment...” or “The environment is constantly trying to look at the state of a qubit, a process called decoherence”, etc.

In a way, this sophisticated description may be true, however it is normally quite sufficient to understand spin relaxation as a result of the action of a time-dependent Hamiltonian $H(t) = \mathbf{A}(t)\boldsymbol{\sigma}$, where $\mathbf{A}(t)$ is a random vector function, and $\boldsymbol{\sigma}$ are Pauli matrices. In simple words, the spin continuously performs precession around fluctuating in time magnetic fields. In most cases these are not real, but rather effective magnetic fields induced by some interactions. A randomly fluctuating field is characterized by its correlation time, τ_c , and by the average angle of spin precession, α , during time τ_c . For the most frequent case when $\alpha \ll 1$, the spin vector experiences a slow angular diffusion. The RMS angle after time $t \gg \tau_c$ is $\epsilon \sim \alpha(t/\tau_c)^{1/2}$. Hence the relaxation time is $\tau \sim \tau_c/\alpha^2$. If one chooses a time step t_0 , such that $\tau_c \ll t_0 \ll \tau_c/\alpha^2$, it can be safely assumed that $\epsilon \ll 1$, and that rotations during successive time steps are not correlated.

These random rotations persist *continuously* for all the

qubits inside the quantum computer. It is important to understand that the wavefunction describing an arbitrary state of N qubits will deteriorate much faster than each individual qubit does. The reason is that this wavefunction

$$\psi = A_0|000\dots00\rangle + A_1|000\dots01\rangle + \dots + A_{2^N-1}|111\dots11\rangle$$

describes complicated correlations between the N qubits, and correlations always decay more rapidly. For simplicity, suppose that all qubits are subject to random and uncorrelated rotations around the z axis only. Then the state of the j th qubit will change during one step accordingly to the rule: $|0\rangle \rightarrow |0\rangle, |1\rangle \rightarrow \exp(i\phi_j)|1\rangle$, where ϕ_j is the random rotation angle for this qubit. Then the amplitudes A will acquire phases $\Sigma\phi_j$, where the sum goes over all qubits that are in the state $|1\rangle$ in a given term of ψ . The typical RMS value of this phase after one step is $\sim \epsilon N^{1/2}$, thus the time it takes for unwanted phase differences between the amplitudes A to become large, is $\sim N$ times shorter than the relaxation time for an individual qubit.

For this reason, it seems that if we choose the time step so that $\epsilon^2 = 10^{-6}$ (the most cautious of existing estimates for the noise threshold), but the quantum state contains 10^6 qubits, then the computer is likely to crash during one step. I am unaware of anybody discussing this problem.

5. Quantum computation with decoherence-free subspaces

This is a flourishing and respectable branch of quantum computer mathematics (Google gives 24 800 hits for “decoherence-free subspaces”). The idea is that there may be some special symmetry of the relaxation processes, due to which certain many-qubit states do not relax at all. (The simplest model is to consider a relaxation process, in which all the qubits are rotated collectively). It is discussed how information can be hidden in this decoherence-free subspace, and what would be the best way to proceed with quantum computation. The conditions for existence of such subspaces are given [17] by the following

Theorem 4. *If no special assumptions are made on the coefficient matrix $a_{\alpha\beta}$ and on the initial conditions ρ_{ij} , then a necessary and sufficient condition for a subspace $\tilde{\mathcal{H}} = \text{Span}\{|\tilde{k}\rangle\}_{k=1}^N$ to be decoherence-free is that all basis states $|\tilde{k}\rangle$ are degenerate eigenstates of all Lindblad operators $\{F_\alpha\}$*

$$F_\alpha|\tilde{k}\rangle = c_\alpha|\tilde{k}\rangle \quad \forall \alpha, k.$$

This gives the reader an idea of what the quantum computing literature looks like.

Although it is not difficult to construct artificial models with some special symmetries, my guess is that in any

real situation the Lindblad operators do not have common eigenstates at all. Obviously, the simplest way to fight noise is to suppose that at least *something is ideal* (noiseless). Unfortunately, this is not what happens in the real world.

6. Quantum error correction by encoding

Below is a simplified example [12, 18] of the quantum error correction using encoding. The simplification results from the assumption that the only errors allowed are rotations around the x axis, described by the matrix $E = \cos(\theta/2)I - i\sin(\theta/2)\sigma_x$, where I is the unit matrix and σ_x is the Pauli matrix. For small rotation angles $\epsilon = 2\theta \ll 1$, this gives $E = I - i\epsilon\sigma_x$. In the case when these are the only errors for individual qubits, it is sufficient to encode the logical $|0\rangle$ and $|1\rangle$ by three physical qubits: $|0\rangle \rightarrow |000\rangle, |1\rangle \rightarrow |111\rangle$. The error correction procedure requires the following steps:

1) The general state of a qubit, $a|0\rangle + b|1\rangle$, is encoded as $\psi = a|000\rangle + b|111\rangle$. Suppose that the three physical qubits experience small and uncorrelated rotations E_1, E_2 , and E_3 . Let us see how the initial state can be recovered. For example, suppose there is an error in the second qubit only. The wave-function becomes:

$$E_2\psi = [a|000\rangle + b|111\rangle] - i\epsilon_2[a|010\rangle + b|101\rangle].$$

2) We now mechanically add 3 auxiliary ancilla qubits in the state $|0\rangle$, obtaining the state:

$$E_2\psi = [a|000\rangle + b|111\rangle]|000\rangle - i\epsilon_2[a|010\rangle + b|101\rangle]|000\rangle.$$

3) We next introduce the syndrome extraction operator, S , defined as:

$$\begin{aligned} S|000\rangle|000\rangle &= |000\rangle|000\rangle, \\ S|111\rangle|000\rangle &= |111\rangle|000\rangle, \\ S|100\rangle|000\rangle &= |100\rangle|100\rangle, \\ S|011\rangle|000\rangle &= |011\rangle|100\rangle, \\ S|010\rangle|000\rangle &= |010\rangle|101\rangle, \\ S|101\rangle|000\rangle &= |101\rangle|101\rangle, \\ S|001\rangle|000\rangle &= |001\rangle|001\rangle, \\ S|110\rangle|000\rangle &= |110\rangle|001\rangle. \end{aligned}$$

The first 3 qubits, containing the data, are left intact. If one of them is flipped, then the ancilla bits are changed accordingly. The operator S writes down the error into the ancilla, allowing us to identify the error location. Now:

$$SE_2\psi = [a|000\rangle + b|111\rangle]|000\rangle - i\epsilon_2[a|010\rangle + b|101\rangle]|101\rangle.$$

4) Finally, we measure the three ancilla qubits. If we get (000) , then we do nothing, since this result shows that the state automatically has been reduced to the initial state $\psi = a|000\rangle + b|111\rangle$. If (with a small probability

equal to ϵ_2^2) we obtain the result (101), then we understand that there is an error in the 2nd qubit, and that the state of the remaining (data) qubits is $a|010\rangle + b|101\rangle$. This error is corrected by applying the operator σ_x to the second qubit. Thus, in both cases we recover the original state

$$\psi = a|000\rangle + b|111\rangle \rightarrow a|0\rangle + b|1\rangle.$$

The method works equally well if all three data qubits have errors, provided that second order terms in the $E_1E_2E_3\psi$ wavefunction proportional to $\epsilon_1\epsilon_2$, $\epsilon_1\epsilon_3$, and $\epsilon_2\epsilon_3$ are neglected. This is justified by the small probability for the admixture of the corresponding states, proportional to ϵ^4 (compared to the ϵ^2 probability of one-qubit errors). However, this method does not work if errors in different qubits are correlated, *i.e.* if there is an admixture of states with two errors with an amplitude ϵ (not ϵ^2). This is why the requirement that errors are uncorrelated is crucial.

There is, indeed, a remarkable "quantum trick" here: the (ideal) measurement of the ancilla qubits automatically reduces the wavefunction representing a large superposition of states to only one of its terms! Because of this, knowing how to correct a bit-flip ($|0\rangle \rightarrow |1\rangle, |1\rangle \rightarrow |0\rangle$), referred to as "fast error", we can also correct "slow errors", $E = I - i\epsilon\sigma_x$, for arbitrary (but small) values of ϵ . This property is called "digitization of noise".

To correct general one-qubit errors a more sophisticated encoding [7, 8] by a greater number of qubits is needed. For example, the logical $|0\rangle$ might be encoded as:

$$\begin{aligned} |0\rangle \rightarrow (1/\sqrt{8})[&|0000000\rangle + |0001111\rangle + |0110011\rangle + \\ &|0111100\rangle + |1010101\rangle + |1011010\rangle + |1100110\rangle + \\ &|1101001\rangle]. \end{aligned}$$

However the principle of error correction is the same. It is believed that it may be advantageous to use *concatenated* encoding, in which each encoding qubit should be further encoded in the same manner, and so on... It is supposed that the future quantum engineer [19] might wish to encode the logical $|0\rangle$ and $|1\rangle$ by complicated superpositions of the states of $7^3 = 343$ physical qubits!

What if we apply the same method of error correction not just to one qubit, but to some N -qubit state? Making exactly the same assumptions, we encode each of the N logical qubits by three physical ones, add an appropriate number of ancilla qubits, and proceed in the same way as above. Then, in accordance with the remark at the end of Section 4, the condition for the method to work will be $N\epsilon^2 \ll 1$, not simply $\epsilon^2 \ll 1$. Indeed, after applying the syndrome extraction operator, the number of one-qubit error terms is N with probabilities ϵ^2 , while the number of two-qubit error terms is $N(N-1)/2$ with probabilities ϵ^4 . In order that the method can work, the total probability of obtaining any two-error state during measurements should be small, which is true when $N\epsilon^2 \ll 1$.

7. The imperfect two-qubit gate

For quantum computation one needs to apply one-qubit gates, but also two-qubit and three-qubit gates. Application of two-qubit gates is necessary from the outset to perform the first step, encoding. The problem is that not only individual qubits are subject to relaxation, as described in Section 4, but also all of the quantum gates are not perfect, because neither the Hamiltonian that should be switched on at the desired moment, nor the duration of its action can be controlled exactly. While an error in the one-qubit gates can be simply added to the random rotations that exist anyway, errors in the two-qubits gates require more care.

We should first decide what an imperfect two-qubit gate is. It seems that the generally accepted model is the following [9]: *"For the error model in our quantum gates, we assume that with some probability p , the gate produces unreliable output, and with probability $1 - p$, the gate works perfectly."*

A more detailed description [2, 12] specifies what exactly an unreliable output is: *"The failure of a two-qubit gate is modeled as a process where with probability $1 - \gamma_2$ no change takes place before the gate, and with equal probabilities $\gamma_2/15$ one of the 15 possible single- or two-qubit failures take place."*

In other words, the faulty gate is supposed either to act as an ideal one (with high probability), or as an ideal gate preceded by uncorrelated errors in the two qubits involved (with low probability). In reality, there will always be some more or less narrow probability distribution around their desired values of the 16 real parameters defining the unitary transformation. Never, under any circumstances, will an ideal gate exist. The crucial difference is that any real gate will introduce correlated errors of the two qubits. Such correlated errors are not correctable within the error-correcting scheme described in Section 6.

Here is a more sophisticated model [20]: *"The noise model we will consider can be formulated in terms of a time-dependent Hamiltonian H that governs the joint evolution of the system and the bath. We may express H as $H = H_S + H_B + H_{SB}$, where H_S is the time dependent Hamiltonian of the system that realizes the ideal quantum circuit, H_B is the arbitrary Hamiltonian of the bath, and H_{SB} couples the system to the bath."*

This is a quite general approach, especially if the arbitrary (?) Hamiltonian of the "bath" describes also the electronic equipment and the quantum engineer himself. However, in reality there is no such thing as a "time dependent Hamiltonian of the system that realizes the ideal quantum circuit", like there is no such thing as square root of 2 with all the infinite number of its digits. True, such abstractions are routinely used in mathematics and theoretical physics. However the whole issue at hand is to understand whether the noisy nature of the real Hamiltonian does, or does not, allow to realize anything sufficiently close to the "ideal quantum circuit". Thus,

it could well happen that the supposed success of fault-tolerant quantum computation schemes is entirely due to the uncontrolled use of innocent-looking abstractions and models (see Section 3). A very careful analysis is needed to understand the true consequences of any simplifications of this kind.

Another implicit assumption, which may be not quite innocent, is that the gates are infinitely fast. In fact, *during* error correction new errors may appear [21].

8. The prescription for fault-tolerant quantum computation

The error correction scheme, briefly described in Section 6, assumes that encoding, syndrome extraction, and recovery, are all ideal operations, that ancilla qubits are error-free, and that measurements are exact. Fault-tolerant methods are based on the same idea, but are supposed to work even if all these unrealistic assumptions (making, in fact, error correction unnecessary) are lifted. The full instructions [9, 10, 11, 12, 13] are extraordinary complicated, details that may be important are often omitted, and the statements are not always quite clear. The basic ideas are as follows.

1) There exists a universal set of three gates, sufficient for quantum computation. *"The proof of this involves showing that these gates can be combined to produce a set of gates dense in the set of 3-qubit gates"* [9] (see also Section 3). In other words, any gate can be approximated to any desired accuracy by application of a large enough number of the three special gates belonging to the universal set.

2) These three gates can be used in a fault-tolerant manner, which means in such a way that only uncorrelated, and thus correctable, errors are produced. Fault-tolerance is achieved by encoding the logical qubits, using specially prepared states of ancilla qubits, and some rules designed to avoid error propagation. Thus application of a single 3-qubit gate fault-tolerantly amounts to a mini- quantum computation with thousands of elementary operations and intermediate measurements.

3) The encoding itself cannot be done fault-tolerantly: *"Therefore, we should carry out a measurement that checks that the encoding has been done correctly. Of course, the verification itself may be erroneous, so we must repeat the verification a few times before we have sufficient confidence that the encoding was correct"* [10].

A similar prescription for verification concerns ancilla states: *"However, the process of creating the ancilla blocks may introduce correlated errors, and if those errors enter the data, it will be a serious problem. Therefore, we must also verify the ancilla blocks to eliminate such correlated errors. Precisely how we do this is not impor-*

tant for the discussion below, but it will certainly involve a number of additional ancilla qubits" [22].

It is recommended [9, 10] to construct auxiliary "cat states": $(|00\dots00\rangle + |11\dots11\rangle)/\sqrt{2}$, where the size of the cat depends on the number of qubits used for encoding. Again, since there may be (one might better say: there *always will be*) errors in the cat state, it must be verified before being used.

4) Operations should be repeated: *"If we mistakenly accept the measured syndrome and act accordingly, we will cause further damage instead of correcting the error. Therefore, it is important to be highly confident that the syndrome measurement is correct before we perform the recovery. To achieve sufficient confidence, we must repeat the syndrome measurement several times"* [10].

5) All these precautions still do not guarantee that the computer will not crash. However, what matters is the *probability* of crash. Once this probability is small enough, which is supposed to happen at a low enough noise rate, we can repeat the whole quantum calculation many times to get reliable results. By estimating the crash probability, one obtains an estimate for the threshold noise level.

A detailed description of the fault-tolerant computation rules can be found in Ref. 10. I don't find this description clear and/or convincing enough. Taking properly in account the continuous nature of random qubit rotations, gate inaccuracies, and measurement errors, even with all the verifications and repetitions, there seems to be no way to avoid small admixtures of unwanted states.

In fact, the pure spin-up state can never exist in reality (one reason is that we never know the exact direction of the z axis). Similarly in the classical world we can never have a pointer looking exactly in the z direction. Generally, no desired state can ever be achieved exactly, rather, whatever we do, we will always have an admixture of unwanted states, more or less rich. One can never have an exact $(|0\rangle + |1\rangle)/\sqrt{2}$ state, let alone more complicated "cat" states like $(|0000000\rangle + |1111111\rangle)/\sqrt{2}$. Such abstractions must be used with extreme caution when discussing the role of errors and inaccuracies.

When the small undetected and unknown admixture of unwanted states together with the "useful" state is fed into the subsequent stages of the quantum network, it is most likely that the error will grow exponentially in time. Accordingly, the crash time will depend only logarithmically on the initial error value. This is what happens when one tries to reverse the evolution of a gas of hard balls. At a given moment one reverses the direction of all the velocities, but oops, the gas never returns to its initial state (even in computer simulation, let alone reality). The reason is that however small the initial (and subsequent) errors are, they will increase exponentially (the Lyapunov exponent). It is a great illusion to think that things are different in quantum mechanics.

Related to this, there is another persistent misunderstanding of quantum mechanics, which plagues the quantum error correction literature. Using quite classical language, one says that the qubit "decoheres" with probability $p = \sin^2 \theta$, instead of saying: the qubit is in the state $\psi = \cos \theta |0\rangle + \sin \theta |1\rangle$. It makes only a semantic difference if we are going to immediately *measure* the qubit, since the probability of finding it in a state $|1\rangle$ is indeed p . However, this language becomes completely wrong if we consider some further evolution of our qubit with a unitary matrix R . The common thinking (applied, for example, for estimating the noise threshold) is that we will have the state $R|0\rangle$ with probability $1 - p$, and the state $R|1\rangle$ with probability p . In reality, we will have the state $R\psi$, and it is not the same thing. The former line of reasoning gives the probability of measuring $|0\rangle$ in the final state as $(1 - p)|\langle 0|R|0\rangle|^2 + p|\langle 0|R|1\rangle|^2$, while the latter (and correct) one will give $|\langle 0|R|\psi\rangle|^2$, and these results are very different. As an exercise, the reader can take for R a rotation of our qubit around the x axis by some angle and compare the results. A quantum-mechanical surprise lies in store. In quantum mechanics, one cannot calculate probabilities by considering what happens to some ideal states. Instead, one must look at the evolution of the real states which always differ from ideal ones by some admixture of unwanted states.

Another point is that the finite time needed to do anything at all, is usually not taken into account (see Section 3). According to the procedure described in Section 6, measuring the syndrome and obtaining (000) indicates the correct state that requires no further action. In fact, while we were making our measurements, the data qubits have experienced their random rotations. And no matter how many times we repeat the syndrome measurements this will happen again and again. So why bother with error correction?

Alicki [21] has made a mathematical analysis of the consequences of finite gate duration. I am not in a position to check his math, but I like his result: the fidelity exponentially decreases in time. He writes: *"...unfortunately, the success of existing error correction procedures is due to the discrete in time modelling of quantum evolution. In physical terms discrete models correspond to unphysical infinitely fast gates"*.

9. Designing perpetual motion machine of the second kind

This is certainly *not* equivalent to achieving fault-tolerant quantum computation, during which we will put some energy into the system by applying external fields and performing measurements.

However there is a certain similarity between the two problems in the sense that what we are trying to do is to maintain a reversible evolution of a large system with many degrees of freedom in the presence of noise and using noisy devices [23]. People, who have had the oppor-

tunity of considering projects of perpetual motion machines, know their basic principle: insert at least *one* ideal (*i.e.* not sensitive to thermal fluctuations) element somewhere deep within a complicated construction. Finding and identifying such an ideal element may be a daunting task.

Naively, one starts with proposing a valve that preferentially lets through only fast molecules. Next, one understands, that the valve itself is "noisy", so that it will not work as expected. However, if one adopts the noise model, in which the valve is faulty with probability p but works perfectly with a probability $1 - p$, or makes a sophisticated construction involving many valves connected by wheels and springs, and if just one of these elements is considered as *ideal* (or even working perfectly with some probability), one can immediately arrive at the conclusion that a perpetual motion machine feeding on thermal energy is possible.

This lesson should make us extremely vigilant to the explicit or implicit presence of ideal elements within the error-correcting theoretical schemes.

10. Challenge

After ten years of doing mathematics devoted to fault-tolerant quantum computation, maybe the time is ripe for making a simple numerical test. Let us focus on the simplest, almost "trivial" task of storing just one qubit and let us verify the statement that its initial state can be maintained indefinitely in the presence of low-amplitude noise. Take for example an initial state $(|0\rangle + |1\rangle)/\sqrt{2}$, a spin pointing in the x direction.

All qubits experience continuous random uncorrelated rotations, the RMS rotation angle being small during one time step. As a further simplification, one could restrict rotations to the xy plane only. The two- and three-qubit gates have a narrow probability distribution for all of the parameters, defining the corresponding unitary transformation, around their desired values. Errors in successive gates are not correlated. We have a refrigerator containing an unlimited number of ancilla qubits in the state $|0\rangle$. Once the ancillas are out of the refrigerator, they become subject to the same random rotations. Measurements involve errors: when the state $a|0\rangle + b|1\rangle$ is measured with the result (0) , the quantum state is *not* reduced to exactly $|0\rangle$, but rather to $|0\rangle + c|1\rangle$ with some unknown, but hopefully small c . Allocate a certain time for measurements and duration of gates and take into account that all qubits continue to be randomly rotated during this time. This simplest model cannot be relaxed further without entering an imaginary world where something is ideal.

Presumably, to maintain our single qubit close to its initial state, a certain sequence of operations (with possible branching depending on the result of intermediate measurements) should be applied periodically. *Provide a full list of these elementary operations*, so that anybody

can use a PC to check whether qubit storage really works. The future quantum engineer will certainly need such a list! *If it works*, this demonstration would be a convincing, though partial, proof that the idea of fault-tolerant quantum computation is sound.

Steane [12] undertook a thorough numerical simulation of error propagation in a quantum computer with results confirming the threshold theorem. Since an exact simulation of quantum computing on a classical computer is impossible, he used a partly phenomenological model based on the (questionable) assumption that "*it is sufficient to keep track of the propagation of errors, rather than the evolution of the complete computer state*". Since the real errors always consist in admixtures of unwanted states, considering the quantum evolution of the complete computer state seems to be the only way to respect quantum mechanics (see Section 8).

The task of maintaining a single qubit in memory is much simpler and, once the list of required operations is provided, it hopefully can be simulated in a straightforward manner. I predict that the result will be negative.

11. Conclusion

It is premature to accept the threshold theorem as a proven result. The state of a quantum computer is described by the monstrous wavefunction with its 10^{300} complex amplitudes, all of which are continuously changing variables. If left alone, this wavefunction will completely deteriorate during $1/N$ of the relaxation time of an individual qubit, where $N \sim 10^3 - 10^6$ is the number of qubits within the computer.

It is absolutely incredible, that by applying external fields, which cannot be calibrated perfectly, doing imperfect measurements, and using converging sequences of "fault-tolerant", but imperfect, gates from the universal set, one can continuously repair this wavefunction, protecting it from the random drift of its 10^{300} amplitudes, and moreover make these amplitudes change in a precise and regular manner needed for quantum computations. And all of this on a time scale greatly exceeding the typical relaxation time of a single qubit.

The existing prescriptions for fault-tolerant computation are rather vague, and the exact underlying assumptions are not always clear. There are several subtle issues, some of which were discussed above, that should be examined more closely. It seems likely that the (theoretical) success of fault-tolerant computation is due not so much to the "quantum tricks", but rather to the backdoor introduction of ideal (flawless) elements in an extremely complicated construction. Previously, this view was expressed by Kak [24].

It would be useful to check whether the fault-tolerant methods really work by numerically simulating the quantum evolution during the proposed recovery procedures for a single qubit using a realistic noise model, which does not contain any ideal elements.

-
- [1] M. I. Dyakonov, "Quantum computing: a view from the enemy camp", in *Future Trends in Microelectronics. The Nano Millennium*, S. Luryi, J. Xu, and A. Zaslavsky, eds., pp. 307-318, Wiley (2002); arxiv.org/cond-mat/0110326.
- [2] A. Steane, "Quantum computing," *Reports Prog. Phys.* **61**, 117 (1998); arxiv.org/quant-ph/9708022.
- [3] P. W. Shor, "Polynomial-time algorithms for prime factorization and discrete logarithms on a quantum computer," in *Proceedings of the 35th Annual Symposium on Foundations of Computer Science*, S. Goldwasser, ed., IEEE Computer Society, Los Alamos, 1994, p.124; arxiv.org/quant-ph/9508027.
- [4] W. G. Unruh, "Maintaining coherence in quantum computers" *Phys. Rev. A* **51**, 992 (1995).
- [5] R. Landauer, "The physical nature of information," *Phys. Lett. A* **217**, 188 (1996).
- [6] S. Haroche and J-M. Raimond, "Quantum computing: dream or nightmare?" *Physics Today* **49**, August (1996), p. 51.
- [7] P. W. Shor, "Scheme for reducing decoherence in quantum computer memory," *Phys. Rev. A* **52**, 2493 (1995).
- [8] A. M. Steane, "Error correcting codes in quantum theory," *Phys. Rev. Lett.* **77**, 793 (1996).
- [9] P. Shor, "Fault-tolerant quantum computation", in *37th Symposium on Foundations of Computing*, IEEE Computer Society Press, 1996, pp. 56-65; arxiv.org/quant-ph/9605011.
- [10] J. Preskill, "Fault-tolerant quantum computation," in *Introduction to Quantum Computation and Information*, H.-K. Lo, S. Papesku, and T. Spiller, eds., Singapore: World Scientific, 1998, pp. 213-269; arxiv.org/quant-ph/9712048.
- [11] D. Gottesman, "An introduction to quantum error correction," in *Quantum Computation: A Grand Mathematical Challenge for the Twenty-First Century and the Millennium*, S. J. Lomonaco, Jr., ed. pp. 221-235, American Mathematical Society, Providence, Rhode Island (2002); arxiv.org/quant-ph/0004072.
- [12] A. M. Steane, "Quantum Computing and Error Correction," in *Decoherence and its implications in quantum computation and information transfer*, A. Gonis and P. Turchi, eds, pp.284-298, IOS Press, Amsterdam (2001), arxiv.org/quant-ph/0304016.
- [13] A. M. Steane, "Overhead and noise threshold of fault-tolerant quantum error correction," *Phys. Rev. A* **68**, 042322 (2003).
- [14] D. Kribs, R. Laflamme, and D. Poulin, "A unified and generalized approach to quantum error correction," *Phys. Rev. Lett.* **94**, 180501 (2005).
- [15] I thank K. M. Dyakonov for providing the following text and E. M. Diakonova for drawing Figure 1.
- [16] Somebody has proved a theorem concerning the existence of bound states for the one-dimensional Schroedinger equation. The surprise comes for repulsive potentials $U(x) = -Ax^n$: it is proved that for $n = 4, 6, \dots$ bound states always exist. The reader might be interested to find out a)why this theorem is true b)what is its physical meaning and c)why it is irrelevant for the real world.
- [17] D. A. Lidar, K. B. Whaley, "Decoherence-free subspaces and subsystems," in *Irreversible Quantum Dynamics*, F. Benatti and R. Floreanini, eds., pp. 83-120, Springer Lecture Notes in Physics vol. 622, Berlin (2003); arxiv.org/quant-ph/0301032.
- [18] E. G. Rieffel, W. Polak, "An introduction to quantum computing for non-physicists," arxiv.org/quant-ph/9809016.
- [19] The *future quantum engineer* is a mythical personage, who will finally achieve factorization of numbers like 10^{260} . He will not only develop and implement the hardware for the future quantum computer, but also design the sequence of the necessary operations based on the ideas presented in Refs. 9-14 (see Ref. 1 for his job description).
- [20] D. Aharonov, A. Kitaev, and J. Preskill, "Fault-tolerant computation with long-range correlated noise," *Phys. Rev. Lett.* **96**, 050504 (2006).
- [21] R. Alicki, "Quantum error correction fails for Hamiltonian models", arxiv.org/quant-ph/0411008.
- [22] D. Gottesmann, "Fault-tolerant quantum computation with local gates," *J. Mod. Opt.* **47**, 333 (2000); arxiv.org/quant-ph/9903099.
- [23] Because of this similarity, it is quite probable that the design and the theory of such machines will become the next hot topic, especially if a good name (beginning with the magic word "quantum") for this activity will be invented.
- [24] S. Kak, "General qubit errors cannot be corrected", *Information Sciences*, **152**, 195 (2003); arxiv.org/quant-ph/0206144.